
TERIOTEC® X PROFILE

A STRONG STRUCTURE, BUT ALSO WITH AN EASY-CLEAN SURFACE TECHNOLOGY.





TERIOTEC® X PROFILE



NATURAL STONE HAPTICS - IN A CALIBRATED STONE BLOCK FORMAT. EASY TO CLEAN AND HYGIENIC.

TerioTec® X Profile is a safe to apply terrace slab that does not only correspond to natural stone in terms of optics but also haptics. This was made possible by the new and especially for TerioTec® X Profile developed glazing technique named "ExtruTec® Print".

It is another frost-proof terrace slab that is also stress-resistant, easy to clean and anti-slip thanks to the modified "Hardglaze 2.0" by Ströher. The Extrutec® Body Technology guarantees a weatherproof pore structure and a heavily structured reverse-side texture, and thus optimal adhesive properties for fixing the slabs in place.



A STRONG STRUCTURE, BUT ALSO WITH AN EASY-CLEAN SURFACE TECHNOLOGY.

TERIOTEC® X PROFILE



EXTRUDED. HAPTICAL. IMPRESSIVE.

COLOURS AND FORMAT














EXTRUDED. HAPTICAL. IMPRESSIVE.

TRIM PIECES



9441 loft stair tread corner® 340 x 340 x 35 x 11 mm, calibrated



9430 loft stair tread tile® 294 x 340 x 35 x 11 mm, calibrated



8102/8108 skirting 294 x 73 x 8 mm

















KERAPLATE®



THE CERAMIC CONCEPT FROM OUTDOORS TO INDOORS.

COARSE CERAMICS, COMBINING ANGLE TILE WITH STAIR TREAD TILE, WITH THE INNOVATIVE SPIRIT AND THE CONVENIENCES OF A MARKET LEADER.

Diverse moulded parts, frostproof and fully decorated edge. Perfect utilization fulfilment for surfaces, stair tread tiles and edge pieces. From the classic split tile to oversize elements and innovative balcony edgings. Showing edges with matured ceramic solutions. The new Florentine generation. Modern, reduced linearity: loft stair tread and loft angle tile. The original.







